Stens Blade Size Chart



HANDY HINT — Help your customers get the right blade by teaching them to measure correctly.

A. Measure the blade diagonally from cutting tip to cutting tip.
B. Measure the width at the widest part of the blade.
C. Measure the center hole.
D. Measure the center to center distance between the outer holes.
E. Refer to our OEM Cross Reference in the back of this catalog if the OEM blade number is stamped into the blade.

Blade Size Chart

PART NO.	LENGTH	CENTER HOLE	OUTER HOLES	CENTER/ CENTER	S F	WIDTH	THICK-NESS	PAGE NO.
305-680	9 5/8"	3/8"	none	none	F	2"	.134"	444
325-787	11"	3/4"	none	none	S	2 1/2"	.203"	418
350-132	12 1/8"	3/4"	none	none	S	2"	.203"	453
335-798	12 1/2"	1 1/2"	7/16"	2 1/2"	F	3 1/6"	.125"	438
310-755	13 3/4" LH	1 1/4"	13/32"	2 5/8"	F	2 1/2"	.187"	418
320-507	13 7/8"	5/8"	none	none	S	2"	.203"	426
350-041	14"	3/4" x 5/8"	1/4"	1 5/8"	S	2"	.187"	453
350-116	14"	3/4"	none	none	S	2"	.187"	453
330-258	14"	11/16"	none	none	S	2"	.187"	431
350-140	14 1/8"	3/4"	none	none	S	2"	.203"	453
335-786	14 13/32"	7/8" x 1"	none	none	S	2 1/4"	.150"	442
305-573	14 1/2"	3/8"	none	none	F	2 1/64"	.140"	444
315-006	14 1/2"	.700"	none	none	S	2 1/2"	.187"	420
315-036	14 1/2"	.700"	none	none	S	2 1/2"	.187"	420
345-090	14 1/2" LH	3/4"	13/32"	3 1/16"	S	2"	.150"	412
350-108	14 1/2"	3/4"	none	none	S	2"	.203"	453
320-259	14 1/2"	1 1/8"	3/8"	3 1/4"	F	2 1/2"	.134"	436

Stens Blade Size Chart

PART NO.	LENGTH	CENTER HOLE	OUTER HOLES	CENTER/ CENTER	S F	WIDTH	THICK-NESS	PAGE NO.
302-240	14 1/2"	11/16"	none	none	S	2 1/2"	.197"	420
340-604	14 1/2"	5/8"	5/16"	1 3/8"	S	2 1/2"	.125"	413
345-025	14 1/2" LH	1 3/8"	25/64"	3 1/6"	S	2 1/2"	.150"	412
340-562	14 5/8"	1 1/4"	7/16"	3"	S	2 1/2"	.150"	413
305-789	14 11/16"	3/4"	none	none	F	2"	.203"	412
310-276	14 3/4"	3/8"	5/16"	2 11/16"	S	2 1/4"	.187"	455
335-539	14 3/4"	3/8"	5/16"	2 1/2"	F	2"	.150"	438
355-133	14 13/16"	5/8"	none	none	S	2 1/2"	.204"	429
335-723	14 13/16"	6 point	5/16"	2 1/2"	F	3"	.135"	438
335-125	14 13/16"	13/32"	5/16"	2 1/2"	F	3"	.150"	438
325-134	14 7/8"	3/4"	none	none	F	3"	.203"	418
315-762	14 7/8"	7/16"	1/2"	1 5/8"	F	2"	.150"	424
335-695	14 7/8"	6 point	3/8"	2 1/2"	F	2 1/2"	.150"	438
325-750	14 7/8"	3/4"	none	none	F	3"	.202"	418
335-533	14 25/32"	.687" star	5/16"	2 1/2"	F	3"	.157"	438
335-000	14 15/16"	3/4" x 1"	none	none	F	2"	.155"	437
335-786	15"	7/8"	none	none	S	2 1/4"	.150"	442
320-010	15"	1/2"	none	none	F	2"	.203"	425
320-028	15"	1/2"	none	none	F	2"	.203"	425
335-851	15"	7/8" x 1"	none	none	S	2 1/4"	.125"	442
325-837	15 1/8"	3/4"	none	none	F	2 1/2"	.203"	418
355-089	15 3/16"	5/8"	none	none	F	2 1/2"	.212"	422
355-085	15 3/16"	5/8"	none	none	F	2 1/2"	.205"	422
330-555	15 1/4"	23/32"	11/32"	1 1/2"	S	2"	.187"	435
340-145	15 3/8"	5/8" star	none	none	F	2 1/4"	.160"	413
310-326	15 5/16"	3/8"	3/8"	2 3/4"	S	2"	.188"	455
335-547	15 5/16"	3/8"	5/16"	2 1/2"	F	2"	.140"	438
345-074	15 5/16"	3/4"	13/32"	2 9/16"	S	2"	.150"	450
340-034	15 5/16"	3/8"	none	none	S	2 1/4"	.188"	413
340-070	15 1/2"	5/8" star	none	none	F	2 1/4"	.160"	413
340-030	15 1/2"	5/8" star	none	none	F	2 1/4"	.150"	413
345-454	15 1/2"	5/8"	none	none	F	2 1/2"	.187"	453
345-486	15 1/2"	5/8"	none	none	F	2 1/2"	.196"	453
340-038	15 9/16"	5/8" star	none	none	F	2 1/4"	.155"	413
310-763	15 9/16" LH	1 1/4"	13/32"	2 5/8"	F	2 1/2"	.187"	418
335-050	15 5/8"	.850"	none	none	F	2 1/4"	.134"	442
302-532	15 3/4"	.850"	none	none	F	2 1/2"	.197"	408
335-038	15 3/4"	.850"	none	none	F	2 1/4"	.134"	442
310-771	16" LH	1 1/4"	13/32"	2 5/8"	F	2 1/2"	.187"	418
330-356	16"	11/16"	none	none	S	2 1/2"	.209"	431
330-266	16"	11/16"	none	none	S	2"	.187"	431
325-811	16 1/16"	3/4"	none	none	S	2 1/2"	.203"	418
350-124	16 1/16"	3/4"	none	none	S	2"	.203"	453
345-231	16 1/8"	3/4"	13/32"	2 9/16"	S	2"	.203"	450
305-516	16 1/8"	3/8"	none	none	S	2"	.134"	429
305-623	16 1/8"	3/8"	none	none	S	2"	.140"	429

Stens Blade Size Chart

PART NO.	LENGTH	CENTER HOLE	OUTER HOLES	CENTER/ CENTER	S F	WIDTH	THICK-NESS	PAGE NO.
345-106	16 1/8"	3/4"	13/32"	2 9/16"	F	2"	.203"	450
355-028	16 1/8"	5/8"	none	none	F	2 1/2"	.164"	422
345-231	16 3/16"	3/4"	13/32"	2 9/16"	S	2"	.203"	450
302-684	16 15/64"	5/8"	none	none	S	2 1/2"	.250"	408
335-719	16 1/4"	6 point	5/16"	2 1/2"	F	3"	.130"	439
335-525	16 1/4"	6 point	5/16"	2 1/2"	F	3"	.120"	439
335-691	16 1/4"	6 point	3/8"	2 1/2"	F	2 1/2"	.150"	438
302-212	16 1/4"	5/8"	none	none	S	2 1/2"	.197"	408
310-003	16 1/4"	5/8"	1/4"	1 5/8"	S	2 1/2"	.193"	416
310-045	16 1/4"	5/8"	1/4"	1 5/8"	S	2 1/2"	.250"	412
310-102	16 1/4"	5/8"	none	none	F	2 1/2"	.203"	416
325-142	16 1/4"	3/4"	none	none	F	3"	.203"	418
335-117	16 1/4"	13/32"	5/16"	2 1/2"	F	3"	.150"	438
355-008	16 1/4"	5/8"	none	none	S	2 1/2"	.164"	422
315-259	16 3/8" LH	3/4"	13/32"	3 1/8"	S	2 1/4"	.187"	446
302-216	16 1/2"	5/8"	none	none	S	2 1/2"	.197"	408
325-841	16 1/2"	3/4"	5/16"	2 9/16"	F	2 1/2"	.203"	419
310-177	16 1/2"	5/8"	none	none	S	2 1/2"	.203"	417
320-994	16 1/2"	3/8"	none	none	S	2 3/4"	.160"	451
340-109	16 1/2"	5/8"	none	none	S	2 1/2"	.203"	422
340-113	16 1/2"	5/8"	none	none	S	3"	.203"	446
335-034	16 1/2"	1/2"	1/4"	2 1/8"	S	2"	.188"	437
340-570	16 1/2"	1 1/4"	15/32"	3"	S	2 1/2"	.187"	413
325-734	16 1/2"	3/4"	none	none	F	2 1/2"	.204"	419
325-746	16 1/2"	3/4"	5/16"	2 1/2"	F	2 1/2"	.206"	419
305-603	16 5/8"	3/4"	none	none	F	2 1/2"	.180"	412
302-288	16 5/8"	13/16"	none	none	F	2 1/2"	.197"	408
330-389	16 5/8"	13/16"	none	none	F	2 1/2"	.203"	432
330-405	16 5/8"	51/64"	none	none	F	2 1/2"	.210"	432
305-771	16 9/16"	3/4"	none	none	F	2 1/2"	.180"	412
330-005	16 11/16"	23/32"	none	none	F	2"	.250"	435
330-373	16 11/16"	51/64"	none	none	F	2 1/2"	.203"	432
345-082	16 3/4" LH	3/4"	3/8"	3 1/16"	S	2"	.150"	412
345-235	16 3/4"	1"	none	none	F	2 1/2"	.203"	450
345-751	16 3/4" LH	5/8"	none	none	F	1 3/4"	.203"	458
302-220	17"	5/8"	none	none	S	2 1/2"	.197"	408
320-406	17"	5/8"	none	none	F	2 1/2"	.250"	426
330-619	17"	5/8"	13/32"	3 3/4"	F	2 1/2"	.154"	432
350-199	17"	5/8"	none	none	S	2 1/2"	.204"	420
310-300	17"	3/8"	3/8"	2 3/4"	S	2"	.187"	455
310-789	17" LH	1 1/4"	13/32"	2 5/8"	F	2 1/2"	.187"	418
310-366	17"	7/8" x 1 1/4"	none	none	F	2 1/2"	.187"	418
320-406	17"	5/8'	none	none	F	2 1/2"	.250"	426
315-246	17"	5/8"	none	none	S	2 1/2"	.204"	420
315-028	17"	5/8"	none	none	S	2"	.203"	420
320-515	17"	5/8"	none	none	S	2"	.203"	420

Stens Blade Size Chart

PART NO.	LENGTH	CENTER HOLE	OUTER HOLES	CENTER/ CENTER	S F	WIDTH	THICK-NESS	PAGE NO.
345-124	17"	3/4"	13/32"	2 9/16"	S	2"	.187"	450
330-369	17"	13/16"	none	none	F	2 1/2"	.204"	432
320-535	17 1/6"	41/64"	none	none	S	2 1/2"	.260"	426
330-409	17 3/16"	11/16"	none	none	S	2 1/2"	.208"	432
330-308	17 3/16"	11/16"	none	none	S	2 1/2"	.203"	432
325-845	17 1/4"	3/4"	none	none	F	2 1/2"	.203"	419
335-653	17 1/4"	13/32"	5/16"	2 1/2"	F	2 1/2"	.187"	439
315-770	17 1/4"	7/16"	1/2"	1 5/8"	F	2"	.150"	424
335-554	17 5/16"	3/8"	5/16"	2 1/2"	F	2"	.140"	439
340-125	17 5/16"	3/8"	none	none	S	2 1/4"	.187"	414
335-650	17 5/16"	6 point	5/16"	2 1/2"	F	2 1/2"	.192"	439
340-149	17 3/8"	5/8" star	none	none	F	2 1/4"	.160"	414
320-511	17 11/16"	5/8"	none	none	S	2"	.155"	426
335-075	17 11/16"	.850"	none	none	F	2 1/4"	.150"	442
310-540	17 7/8"	3/4" x 9/16"	none	none	F	2"	.215"	455
355-044	17 15/16"	5/8"	none	none	S	2 1/2"	.204"	422
355-079	17 15/16"	5/8"	none	none	S	2 1/2"	.204"	422
302-688	17 15/16"	1/2"	none	none	S	2 1/2"	.250"	408
302-692	17 15/16"	5/8"	none	none	S	2 1/2"	.250"	408
302-224	18"	5/8"	none	none	S	2 1/2"	.197"	408
355-061	18"	5/8"	none	none	S	2 1/2"	.204"	412
310-011	18"	5/8"	1/4"	1 5/8"	S	2 1/2"	.150"	416
310-052	18"	5/8"	1/4"	1 5/8"	S	2 1/2"	.250"	416
315-876	18"	5/8"	none	none	S	2 1/2"	.250"	424
310-094	18"	5/8"	none	none	S	2 1/2"	.203"	417
310-110	18"	5/8"	none	none	F	2 1/2"	.203"	417
310-508	18"	5/8"	none	none	S	2 1/2"	.187"	417
302-244	18"	1/2"	none	none	F	2 1/2"	.197"	409
320-036	18"	1/2"	none	none	F	2"	.203"	425
320-044	18"	1/2"	none	none	F	2"	.203"	426
335-562	18"	3/8"	5/16"	2 1/2"	F	2"	.140"	439
340-121	18"	5/8"	none	none	S	3"	.203"	422
355-022	18"	5/8"	none	none	F	2 1/2"	.164"	423
340-158	18"	5/8"	none	none	S	2 1/2"	.203"	422
302-316	18"	1/2"	none	none	S	2 1/2"	.187"	409
345-405	18"	1/2"	none	none	S	2 1/2"	.187"	454
355-020	18"	1/2"	none	none	S	2 1/2"	.203"	423
345-462	18"	1/2"	none	none	S	2 1/2"	.186"	453
355-016	18"	5/8"	none	none	S	2 1/2"	.164"	423
335-657	18"	.922" x .703"	5/16"	2 1/2"	F	2 1/4"	.130"	439
302-316	18"	1/2"	7/32"	3"	S	2 3/4"	.197"	409
340-153	18 1/8"	5/8" star	none	none	F	2 1/4"	.134"	414
305-649	18 1/8"	3/8"	none	none	S	2"	.134"	444
305-524	18 1/8"	3/8"	none	none	S	2"	.134"	428
345-070	18 3/16"	3/4"	13/32"	2 9/16"	S	2"	.203"	450
335-174	18 3/16"	7/8" x 1"	none	none	F	2 1/4"	.155"	442

Stens Blade Size Chart

PART NO.	LENGTH	CENTER HOLE	OUTER HOLES	CENTER/ CENTER	S F	WIDTH	THICK-NESS	PAGE NO.
340-016	18 3/16"	3/8"	none	none	S	2 1/4"	.187"	414
340-588	18 3/16"	3/8"	none	none	S	2 1/2"	.125"	414
340-166	18 1/4"	5/8" star	none	none	S	2 1/4"	.192"	414
335-810	18 1/4"	7/8" x 1"	none	none	F	2 1/4"	.150"	442
335-170	18 1/4"	3/8"	5/16"	2 1/2"	F	3"	.155"	439
340-046	18 3/8"	5/8" star	none	none	F	2 1/4"	.135"	414
325-849	18 1/2"	3/4"	none	none	F	3"	.203"	419
345-108	18 1/2"	3/4"	13/32"	2 9/16"	S	2"	.150"	450
335-372	18 1/2"	1/2"	1/4"	2 1/8"	S	2"	.187"	437
345-116	18 1/2"	3/4"	13/32"	2 9/16"	S	2 1/2"	.164"	450
302-256	18 5/8"	13/16"	none	none	F	2 1/2"	.197"	409
330-393	18 5/8"	51/64"	none	none	F	2 1/2"	.203"	433
330-401	18 5/8"	51/64"	none	none	F	2 1/2"	.203"	432
330-365	18 11/16"	51/64"	none	none	F	2 1/2"	.203"	432
330-542	18 11/16"	1 1/8"	none	none	F	2 1/2"	.250"	435
350-157	18 3/4"	3/4"	none	none	S	2"	.203"	454
330-837	18 7/8"	5/8"	17/32"	2 9/16"	F	3"	.125	436
335-570	18 15/16"	3/8"	5/16"	2 1/2"	F	2"	.140"	439
300-012	19"	3/8"	none	none	S	2 1/4"	.149"	411
300-400	19"	3/8"	none	none	F	2"	.150"	411
302-508	19"	13/32"	5/16"	2 1/2"	F	2 1/2"	.197"	409
330-595	19"	29/32"	none	none	F	2 1/2"	.250"	433
340-170	19 3/16"	5/8" star	none	none	S	2 1/4"	.187"	414
335-624	19 1/4"	6 point	5/16"	2 1/2"	F	2 3/4"	.150"	439
340-022	19 1/4"	3/8"	none	none	S	2 1/4"	.187"	414
302-528	19 9/32"	5 pt. star	none	none	F	2 1/2"	.197"	409
340-162	19 5/16"	5/8" star	none	none	F	2 1/4"	.158"	414
340-133	19 5/16"	3/8"	none	none	F	2 1/4"	.150"	414
340-240	19 5/16"	1 1/4"	15/32"	3"	S	2 1/4"	.150"	414
335-182	19 5/16"	.850"	none	none	F	2 1/4"	.134"	442
335-790	19 5/16"	13/32"	7/16"	2 1/2"	F	3"	.150"	439
340-079	19 5/16"	5/8" star	none	none	F	2 1/4"	.134"	414
340-042	19 5/16"	3/8"	none	none	S	2 1/4"	.150"	414
340-222	19 5/16"	3/8"	none	none	S	2 3/4"	.190"	413
335-586	19 5/16"	6 pt. star	5/16"	2 1/2"	F	3"	.146"	439
325-742	19 5/16"	3/4"	5/16"	2 1/2"	F	2 11/16"	.202"	419
345-447	19 3/8"	5/8"	none	none	F	2 1/2"	.187"	454
345-165	19 3/8"	5/8"	none	none	F	2 1/2"	.187"	454
325-167	19 3/8"	3/4"	none	none	F	3"	.203"	419
325-175	19 3/8"	3/4"	none	none	F	3"	.203"	419
335-877	19 3/8"	13/32"	5/16"	2 1/2"	F	3"	.150"	440
335-885	19 3/8"	13/32"	5/16"	2 1/2"	F	2"	.155"	440
320-200	19 3/8"	3/4"	none	none	F	2 3/4"	.188"	412
335-772	19 7/16"	3/8"	none	none	F	2 1/4"	.134"	442
335-012	19 1/2"	.850"	none	none	F	2 1/4"	.187"	442
302-260	19 1/2"	11/16"	none	none	F	2 1/2"	.197"	409

Stens Blade Size Chart

PART NO.	LENGTH	CENTER HOLE	OUTER HOLES	CENTER/ CENTER	S F	WIDTH	THICK-NESS	PAGE NO.
330-361	19 1/2"	11/16"	none	none	F	2 1/2"	.205"	433
335-008	19 1/2"	.850"	none	none	F	2 1/4"	.125"	442
330-421	19 1/2"	11/16"	none	none	F	2 1/2"	.184"	433
320-374	19 1/2"	3/8"	none	none	F	2 1/2"	.134"	436
330-397	19 1/2"	11/16"	none	none	F	3"	.203"	433
330-290	19 1/2"	11/16"	none	none	F	2 1/2"	.203"	433
330-316	19 1/2"	11/16"	none	none	F	3"	.203"	433
335-578	19 1/2"	63/64"	none	none	F	2 1/4"	.213"	451
305-520	19 5/8"	3/8"	none	none	F	2"	.130"	444
335-475	19 1/2"	.850"	none	none	F	2 3/4"	.146"	442
305-599	19 3/4"	3/8"	none	none	S	2"	.125"	428
305-631	19 3/4"	3/8"	none	none	F	2"	.134"	445
330-878	19 3/4"	5/8"	17/32"	2 19/32"	F	3"	.125"	436
340-157	19 7/8"	5/8"	3/8"	1 7/8"	F	2 1/4"	.134"	414
335-760	19 7/8"	13/32"	13/32"	2 1/2"	F	2 1/4"	.150"	442
335-715	19 15/16"	.925" x .700"	5/16"	2 1/2"	F	2 1/4"	.125"	440
335-592	20"	13/16"	3/8"	2 1/2"	F	2 1/4"	.135"	440
335-943	20"	13/16"	3/8"	2 1/2"	F	2"	.150"	440
330-027	20"	7/16"	15/32"	1 5/8"	S	2"	.187"	421
300-020	20"	3/8"	none	none	F	2 1/4"	.150"	411
300-418	20"	3/8"	none	none	F	2"	.150"	411
300-525	20"	3/8"	none	none	F	2 1/4"	.150"	411
340-218	20"	5/8"	3/8"	1 7/8"	F	2"	.140"	415
300-529	20"	5/8"	3/8"	1 7/8"	F	2 1/2"	.155"	411
325-779	20"	3/4"	none	none	S	2 1/2"	.203"	419
330-312	20"	3/8"	15/32"	2 1/4"	S	2 1/4"	.155"	431
335-588	20"	3/8"	5/16"	2 1/2"	F	2"	.140"	440
335-434	20"	3/8"	3/8"	2"	F	2 1/4"	.185"	453
335-776	20"	.830"	3/8"	2 1/2"	F	2 1/4"	.125"	440
340-012	20"	5/8"	3/8"	1 7/8"	F	2 1/2"	.155"	415
340-075	20"	3/8"	none	none	F	2 1/2"	.155"	415
335-592	20"	13/16"	3/8"	2 1/2"	F	2 1/2"	.135"	440
345-156	20"	5/8"	none	none	F	2 1/2"	.187"	454
335-665	20"	.925" x .700"	5/16"	2 1/2"	F	2 1/2"	.125"	440
335-479	20 5/32"	.850"	none	none	F	2 3/4"	.140"	443
345-769	20 3/16"	5/8"	none	none	F	2"	.203"	458
345-777	20 3/16" LH	5/8"	none	none	F	2"	.203"	416
305-589	20 1/4"	3/4"	none	none	F	2 1/2"	.203"	412
300-726	20 5/16"	.850"	none	none	F	2 1/4"	.145"	443
335-071	20 5/16"	.850"	none	none	F	2 1/4"	.130"	443
305-615	20 5/16"	3/8"	none	none	S	2"	.134"	429
315-267	20 11/32" LH	3/4"	13/32"	3 1/8"	S	2 1/4"	.187"	446
302-512	20 3/8"	.850"	none	none	F	2 1/2"	.197"	409
335-016	20 3/8"	.850"	none	none	F	2 1/4"	.187"	443
335-030	20 3/8"	.850"	none	none	F	2 1/4"	.150"	443
335-166	20 3/8"	.850"	none	none	F	2 1/4"	.134"	443

Stens Blade Size Chart

PART NO.	LENGTH	CENTER HOLE	OUTER HOLES	CENTER/ CENTER	S F	WIDTH	THICK-NESS	PAGE NO.
320-402	20 7/16"	5/8"	none	none	F	2 1/2"	.250"	427
355-105	20 7/16"	5/8"	none	none	F	2 1/2"	.204"	423
320-539	20 7/16"	5/8"	none	none	F	2 1/2"	.250"	427
315-250	20 7/16"	5/8"	none	none	S	2 1/2"	.250"	420
302-696	20 7/16"	5/8"	none	none	F	2 1/2"	.250"	409
355-052	20 1/2"	1/2"	none	none	F	2 1/2"	.204"	423
302-136	20 1/2"	1/2"	none	none	F	2 1/2"	.197"	409
301-014	20 1/2"	5/8"	none	none	S	2"	.204"	427
302-228	20 1/2"	5/8"	none	none	S	2 1/2"	.197"	409
330-282	20 1/2"	25/32"	none	none	S	2"	.187"	433
315-511	20 1/2"	5/8"	none	none	S	2 1/2"	.204"	420
320-564	20 1/2"	5/8"	none	none	S	2"	.250"	427
315-792	20 1/2"	5/8"	none	none	S	2 1/2"	.250"	421
355-036	20 1/2"	5/8"	none	none	S	2 1/2"	.210"	423
330-241	20 1/2"	23/32"	none	none	S	2 3/8"	.204"	435
330-385	20 1/2"	29/32"	none	none	S	2 1/2"	.295"	433
330-357	20 1/2"	29/32"	none	none	S	2 1/2"	.305"	433
355-233	20 1/2"	1/2"	none	none	S	2 1/2"	.203"	423
305-730	20 1/2"	3/8"	none	none	F	2 3/4"	.140"	413
315-503	20 1/2"	5/8"	none	none	S	2 1/2"	.250"	420
302-136	20 1/2"	1/2"	none	none	F	2 1/2"	.197"	409
320-523	20 17/32"	1"	none	none	F	2 1/14"	.203"	427
302-500	20 9/16"	3/8"	none	none	F	2 3/4"	.197"	409
330-552	20 9/16"	1 1/8"	none	none	F	2 1/2"	.250"	435
335-240	20 5/8"	.385"	.385"	2 3/4"	F	2 3/4"	.160"	451
335-356	20 5/8"	3/8"	3/8"	2 3/4"	F	2 3/4"	.160"	451
335-042	20 11/16"	3/8"	3/8"	2 3/4"	F	2 3/4"	.165"	451
345-668	20 11/16"	41/64"	none	none	S	2 1/2"	.250"	458
302-268	20 11/16"	3/8"	3/8"	2 3/4"	F	2 3/4"	.165"	409
325-005	20 3/4"	.825"	.410"	3.875"	F	2 1/4"	.160"	428
350-603	20 3/4"	3/4" x 1 1/4"	none*	none*	F	2 1/4"	.250"	460
330-845	20 13/16"	5/8"	17/32"	2 19/32"	F	3"	.125"	433
350-538	20 13/16" LH	3/4" x 1 1/4"	none	none	F	2 1/4"	.240"	460
325-001	20 7/8"	.835"	.416"	3.455"	S	2 1/4"	.150"	428
310-118	20 7/8"	1/2"	3/8"	2 1/2"	F	2"	.188"	455
330-852	20 7/8"	7/8"	3/8"	3 23/32"	F	3"	.125"	436
330-429	20 7/8"	29/32"	7/16"	3 11/16"	F	2 5/8"	.125"	434
335-806	20 7/8"	13/32"	none	none	F	2 3/4"	.150"	443
325-773	20 7/8"	55/64"	13/32"	3 1/2"	S	2 1/4"	.150"	428
345-203	20 7/8"	7/16"	3/8"	2 7/16"	F	2 1/4"	.134"	423
335-869	20 7/8"	3/8"	none	none	F	2 1/4"	.134"	443
335-083	20 15/16"	.830"	3/8"	2 1/2"	F	2"	.150"	440
345-173	20 15/16"	7/16"	3/8"	2 7/16"	F	2 1/4"	.134"	454
335-814	21"	13/16"	3/8"	2 1/2"	F	2 1/4"	.125"	440
310-185	21"	5/8"	none	none	S	2 1/2"	.203"	417
302-248	21"	1/2"	none	none	F	2 1/2"	.197"	409

Stens Blade Size Chart

PART NO.	LENGTH	CENTER HOLE	OUTER HOLES	CENTER/ CENTER	S F	WIDTH	THICK-NESS	PAGE NO.
325-908	21"	1/2"	none	none	F	2"	.250"	419
300-038	21"	3/8"	none	none	S	2 1/4"	.149"	411
300-426	21"	3/8"	none	none	F	2"	.149"	411
300-517	21"	3/8"	none	none	F	2 1/4"	.150"	411
302-232	21"	5/8"	none	none	S	2 1/2"	.197"	409
310-078	21"	5/8"	1/4"	1 11/16"	S	2 1/2"	.250"	417
310-086	21"	5/8"	none	none	F	2 1/2"	.240"	417
315-872	21"	5/8"	none	none	S	2 1/2"	.250"	424
302-284	21"	7/16"	3/8"	2 7/16"	F	2 1/2"	.165"	409
320-006	21"	1/2"	none	none	F	2 1/2"	.203"	426
320-014	21"	1/2"	none	none	F	2 1/2"	.250"	426
340-099	21"	5/8"	none	none	S	3"	.203"	446
330-019	21"	7/16"	15/32"	1 5/8"	S	2 1/4"	.150"	421
302-536	21"	5 point	none	none	F	2 1/2"	.197"	409
335-323	21"	7/8"	none	none	F	2 3/4"	.187"	451
335-596	21"	3/8"	5/16"	2 1/2"	F	2"	.140"	440
340-117	21"	5/8"	none	none	S	2 1/2"	.203"	428
340-178	21"	5/8" star	none	none	F	2 1/4"	.140"	415
345-306	21"	7/16"	none	none	F	2 1/4"	.125"	454
345-348	21"	7/16"	none	none	F	2 1/4"	.125"	454
345-397	21"	7/16"	3/8"	2 7/16"	F	2 1/4"	.125"	454
335-214	21"	.925" x .700"	5/16"	2 1/2"	F	2 1/4"	.125"	419
335-677	21"	.925" x .700"	5/16"	2 1/2"	F	2/14"	.130"	440
345-496	21"	7/16"	3/8"	2 7/16"	F	2 1/4"	.134"	454
330-587	21"	29/32"	none	none	F	2 1/2"	.250"	434
302-536	21"	5 point	none	none	F	2 1/2"	.197"	409
340-178	21 1/16"	5/8" star	none	none	F	2 1/4"	.140"	415
340-075	21 1/16"	5/8" star	none	none	F	2 1/4"	.130"	415
340-066	21 1/16"	5/8" star	none	none	F	2 1/4"	.134"	415
330-591	21 1/16"	29/32"	noen	none	F	2 1/2"	.305"	434
340-440	21 1/16"	5/8"	none	none	S	2 1/4"	.140"	415
325-735	21 1/8"	3/4"	5/16"	2 1/2"	F	2 11/16"	.196"	419
302-264	21 3/16"	13/32"	5/16"	2 1/2"	F	2 1/2"	.197"	410
340-054	21 3/16"	5/8" star	none	none	F	2 1/4"	.150"	415
325-856	21 3/16"	3/4"	5/16"	2 1/2"	F	3"	.203"	419
335-600	21 3/16"	13/32"	5/16"	2 1/2"	F	3"	.164"	440
335-067	21 3/16"	13/32"	5/16"	2 1/2"	F	3"	.150"	441
335-054	21 3/16"	.850"	none	none	F	2 1/4"	.135"	443
335-711	21 1/4"	4 pt. star	5/16"	2 1/2"	F	3"	.150"	441
335-063	21 1/4"	27/32"	none	none	S	2 1/2"	.140	443
335-764	21 1/4"	27/32"	none	none	F	2 1/4"	.150"	443
300-730	21 1/4"	.850"	none	none	F	2 1/4"	.145"	443
300-750	21 1/4"	3/8"	5/16"	2 1/2"	F	2 1/4"	.145"	441
335-707	21 1/4"	6 point	5/16"	2 1/2"	F	2 3/4"	.150"	441
335-782	21 1/4"	3/8"	7/16"	2 1/2"	F	3"	.150"	441
325-860	21 1/4"	3/8"	17/32"	4 1/2"	F	2 1/2"	.203"	419

Stens Blade Size Chart

PART NO.	LENGTH	CENTER HOLE	OUTER HOLES	CENTER/ CENTER	S F	WIDTH	THICK-NESS	PAGE NO.
335-471	21 3/8"	.850"	none	none	F	2 3/4"	.144"	443
330-615	21 3/8"	5/8"	13/32"	3 11/16"	F	2 1/2"	.155"	434
330-377	21 1/2"	11/16"	none	none	F	2 1/2"	.160"	434
345-421	21 1/2"	1/2"	none	none	F	2 1/2"	.187"	454
305-068	21 9/16"	3/8"	none	none	F	2"	.190"	445
340-256	21 11/16"	5/8"	3/8"	1 7/8"	F	2"	.140"	415
340-062	21 11/16"	5/8"	3/8"	1 7/8"	F	2 1/4"	.150"	415
340-256	21 11/16"	5/8"	3/8"	1 7/8"	F	2"	.140"	415
302-516	21 3/4"	5/8"	3/8"	1 7/8"	F	2 1/2"	.197"	410
305-700	21 3/4"	3/8"	none	none	F	2"	.140"	445
340-008	21 3/4"	5/8"	3/8"	1 7/8"	F	2 1/2"	.155"	415
340-137	21 3/4"	5/8"	3/8"	1 7/8"	F	2 1/4"	.134"	415
340-620	21 3/4"	3/8"	none	none	F	2 1/2"	.150"	415
300-513	21 3/4"	5/8"	none	none	F	2 1/4"	.155"	411
310-318	21 13/16"	1/2"	3/8"	2 1/2"	F	2"	.187"	455
335-822	21 7/8"	3/8"	none	none	F	2 1/4"	.155"	443
335-778	21 7/8"	3/8"	11/32" x 1/2"	2 3/8"	F	2 1/4"	.150"	443
335-497	21 7/8"	3/4"	3/8"	2 1/2"	F	2"	.150"	441
335-632	21 15/16"	.925" x .700"	5/16"	2 1/2"	F	2 1/4"	.150"	441
335-628	22"	13/16"	3/8"	2 1/2"	F	2 1/4"	.125"	441
300-046	22"	3/8"	none	none	S	2 1/4"	.149"	411
300-434	22"	3/8"	none	none	F	2"	.149"	411
300-509	22"	3/8"	none	none	F	2 1/2"	.156"	411
335-438	22"	3/8"	3/8"	2"	F	2 1/4"	.185"	453
335-737	22"	13/32"	5/16"	2 1/2"	F	2"	.163"	441
355-024	22"	5/8"	3/16"	3"	F	2 3/4"	.160"	456
335-608	22"	.925" x .700"	5/16"	2 1/2"	F	2 1/4"	.125"	441
355-032	22" LH	5/8"	3/16"	3"	F	2 3/4"	.160"	456
335-669	22"	13/16"	3/8"	2 1/2"	F	2 1/4"	.140"	441
310-209	22 1/8"	1/2"	3/8"	2 1/2"	F	2"	.187"	455
325-795	22 1/4"	3/4"	none	none	S	2 1/2"	.203"	419
345-102	22 1/4"	3/4"	13/32"	2 9/16"	S	2"	.203"	450
330-213	23"	17/32"	13/32"	2 7/8"	S	2 1/2"	.250"	431
330-217	23" LH	17/32"	13/32"	2 7/8"	S	2 1/2"	.250"	431
315-499	24"	5/8"	none	none	S	3"	.250"	420
315-254	24"	5/8"	none	none	S	2 1/2"	.240"	420
355-117	24 7/16"	5/8'	none	none	S	3"	.204"	423
345-785	24 7/16" LH	1"	none	none	F	2 1/2"	.203"	459
355-113	24 1/2"	5/8"	none	none	F	3"	.204"	423
320-519	24 1/2"	5/8"	none	none	F	2 1/2"	.250"	427
310-410	24 1/2"	5/8"	none	none	F	2 1/2"	.250"	418
340-129	24 1/2"	5/8"	none	none	S	2 1/2"	.203"	447
345-223	24 1/2"	1/2"	none	none	F	2 1/2"	.260"	454
345-672	24 5/8"	5/8"	none	none	S	2 1/2"	.250"	459
335-828	24 7/8"	7/8" x 1"	none	none	F	2 1/4"	.150"	444
330-583	24 15/16"	29/32"	none	none	F	2 1/2"	.305"	434

Stens Blade Size Chart

PART NO.	LENGTH	CENTER HOLE	OUTER HOLES	CENTER/ CENTER	S F	WIDTH	THICK-NESS	PAGE NO.
345-314	24 15/16" LH	3/4"	none	none	F	2 1/2"	.240"	455
320-026	24 15/16"	1/2"	none	none	F	2 1/2"	.250"	426
330-688	24 31/32"	29/32"	none	none	S	2 1/2"	.305"	434
355-709	25"	5/8"	3/16"	3"	F	2 3/4"	.160"	456
335-398	25"	1 1/16"	9/16"	7 1/2"	F	2 3/4"	.155"	452
310-410	25"	.525"	none	none	S	2 1/4"	.240"	418
330-352	25"	29/32"	none	none	S	2 1/2"	.310"	434
345-199	25" LH	3/4"	none	none	F	2 1/2"	.250"	455
355-713	25" LH	5/8"	3/16"	3"	F	2 3/4"	.160"	456
345-177	25 7/32"	1/2"	none	none	F	2 1/2"	.250"	455
335-299	26"	1 1/16"	9/16"	7 1/2"	F	2 3/4"	.187"	452
335-289	28"	1 1/16"	9/16"	7 1/2"	F	2 3/4"	.160"	452
335-315	28"	1 1/16"	9/16"	7 1/2"	F	2 3/4"	.200"	452
330-336	29 1/2"	11/16"	none	none	F	2 1/2"	.204"	434
320-531	29 15/16"	7/8"	none	none	F	3"	.240"	427
335-463	30"	.850"	none	none	F	2 1/4"	.188"	444
335-646	30"	3/8"	5/16"	2 1/2"	F	3"	.150"	441
330-340	30"	11/16"	none	none	F	2 1/2"	.203"	434
305-839	30"	3/4"	13/32"	11"	F	2 3/4"	.188"	413
335-281	30"	7/8"	none	none	F	2 3/4"	.187"	421
335-307	30"	1 1/16"	9/16"	7 1/2"	F	2 3/4"	.187"	452
335-844	30"	7/8" x 1"	none	none	F	2 1/4"	.150"	444
330-324	30"	11/16"	none	none	F	2 1/2"	.204"	434
335-059	30"	.850"	none	none	F	2 3/4"	.150"	444
335-836	30 1/16"	7/8" x 1"	none	none	F	2 1/4"	.150"	444
335-004	30 3/16"	7/8" x 1"	none	none	F	2 3/4"	.155"	444
335-818	30 1/4"	.850"	none	none	F	2 1/2"	.164"	444
345-338	31 3/8"	5/8"	none	none	F	2 1/2"	.187"	455
345-413	31 3/8"	5/8"	none	none	F	2 1/2"	.187"	455
305-847	32"	3/4"	11/32"	11"	F	2 3/4"	.188"	413
335-293	33"	1 1/16"	9/16"	7 1/2"	F	2 3/4"	.160"	452
335-331	33"	1 1/16"	9/16"	7 1/2"	F	2 3/4"	.187"	452